

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
	:
EC Index-No.	: 017-012-00-7
EC-No.	: 231-908-7
CAS-No.	: 7778-54-3
Product code	: 02192
Chemical structure	: Ca(OCl)_2
Synonyms	: CALCIUM HYPOCHLORITE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CHEMIECALL
Jl. Diklat Pemda, Dukuh Pinang No. 24 RT.001/003
Kel. Bojong Nangka Kec. Kelapa Dua Tangerang 15821
Contact: +62(21) 54210228
info@chemiecall.com www.chemiecall.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2	H272
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1B	H314
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400

Full text of H statements : see section 16

BLEACHING POWDER Extra Pure

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

O; R8
Xn; R22
C; R34
N; R50
R31

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to display Extra classification(s) to display

Hazard pictograms (CLP) :



GHS03

GHS05

GHS07

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H272 - May intensify fire; oxidiser.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H400 - Very toxic to aquatic life.

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing and other combustible materials.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : BLEACHING POWDER Extra Pure
CAS-No. : 7778-54-3
EC-No. : 231-908-7
EC Index-No. : 017-012-00-7

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

BLEACHING POWDER Extra Pure

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
- First-aid measures after skin contact : Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage.
- Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : May intensify fire; oxidiser.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

- Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No open flames. No smoking.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Hazardous waste due to potential risk of explosion.

BLEACHING POWDER Extra Pure

Safety Data Sheet

Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe vapours. Take precautionary measures against static discharge.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.
Storage conditions	: Keep in fireproof place. Store in a well-ventilated place.
Incompatible materials	: Heat sources. combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment	: Wear fire/flammable resistant/retardant clothing.
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 142.99 g/mol
Colour	: White powder.
Odour	: chlorine-like odor.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 100 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

BLEACHING POWDER Extra Pure

Safety Data Sheet

Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 2.35 g/cm ³
Solubility	: Water: Soluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: May cause fire or explosion; strong oxidiser.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Highly reactive material. Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

BLEACHING POWDER Extra Pure

Safety Data Sheet

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Hazardous waste due to potential risk of explosion.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1748

UN-No. (IMDG) : 1748

UN-No. (IATA) : 1748

UN-No. (ADN) : 1748

UN-No. (RID) : 1748

BLEACHING POWDER Extra Pure

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CALCIUM HYPOCHLORITE, DRY
Proper Shipping Name (IMDG)	: CALCIUM HYPOCHLORITE, DRY
Proper Shipping Name (IATA)	: Calcium hypochlorite, dry
Proper Shipping Name (ADN)	: CALCIUM HYPOCHLORITE, DRY
Proper Shipping Name (RID)	: CALCIUM HYPOCHLORITE, DRY
Transport document description (ADR)	: UN 1748 CALCIUM HYPOCHLORITE, DRY, 5.1, II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1748 CALCIUM HYPOCHLORITE, DRY, 5.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1748 Calcium hypochlorite, dry, 5.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1748 CALCIUM HYPOCHLORITE, DRY, 5.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1748 CALCIUM HYPOCHLORITE, DRY, 5.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1
Danger labels (ADR)	: 5.1



IMDG

Transport hazard class(es) (IMDG)	: 5.1
Danger labels (IMDG)	: 5.1



IATA

Transport hazard class(es) (IATA)	: 5.1
Hazard labels (IATA)	: 5.1



ADN

Transport hazard class(es) (ADN)	: 5.1
Danger labels (ADN)	: 5.1



BLEACHING POWDER Extra Pure

Safety Data Sheet

RID

Transport hazard class(es) (RID) : 5.1

Danger labels (RID) : 5.1



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : O2

Special provisions (ADR) : 314

Limited quantities (ADR) : 1kg

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4, B13

Mixed packing provisions (ADR) : MP10

Tank code (ADR) : SGAN

Tank special provisions (ADR) : TU3

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V11

Special provisions for carriage - Loading, unloading and handling (ADR) : CV24, CV35

Hazard identification number (Kemler No.) : 50

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 1W

- Transport by sea

Special provisions (IMDG) : 314

Packing instructions (IMDG) : P002

Special packing provisions (IMDG) : PP85

EmS-No. (Fire) : F-H

EmS-No. (Spillage) : S-Q

Stowage category (IMDG) : D

BLEACHING POWDER Extra Pure

Safety Data Sheet

Stowage and handling (IMDG)	: SW1, SW11
Segregation (IMDG)	: SG35, SG38, SG49, SG53, SG60
Properties and observations (IMDG)	: White or yellowish solid (powder, granules or tablets) with chlorine-like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Dust irritates mucous membranes.

MFAG-No : 140

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y544
PCA limited quantity max net quantity (IATA)	: 2.5kg
PCA packing instructions (IATA)	: 558
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 562
CAO max net quantity (IATA)	: 25kg
Special provisions (IATA)	: A136, A803
ERG code (IATA)	: 5L

- Inland waterway transport

Classification code (ADN)	: O2
Special provisions (ADN)	: 314
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: O2
Special provisions (RID)	: 314
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4, B13
Mixed packing provisions (RID)	: MP10
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24, CW35
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 50

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BLEACHING POWDER Extra Pure

Safety Data Sheet

BLEACHING POWDER Extra Pure is not on the REACH Candidate List

BLEACHING POWDER Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to water (Classification according to AwSV; ID No. 2062)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
R22	Harmful if swallowed
R31	Contact with acids liberates toxic gas
R34	Causes burns

BLEACHING POWDER Extra Pure

Safety Data Sheet

R50	Very toxic to aquatic organisms
R8	Contact with combustible material may cause fire
C	Corrosive
N	Dangerous for the environment
O	Oxidising
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product