

## CAS-No.: 7601-90-3 MSDS

### MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. F	Product identifier		
Product for	rm	:	Mixture
		:	
EC Index-	No.	:	017-006-004
EC-No.		:	231-512-4
CAS-No.		:	7601-90-3
Product co	ode	:	00240
Formula		:	HCIO4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

#### 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CHEMIECALL JI. Diklat Pemda, Dukuh Pinang No. 24 RT.001/003 Kel. Bojong Nangka Kec. Kelapa Dua Tangerang 15821 Contact: +62(21) 54210228 info@chemiecall.com www.chemiecall.com

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU 2015: According to

H271 Oxidising Liquids, Category 1 Corrosive to metals, H290 Category 1 H302 Acute toxicity (oral), Category 4 Skin corrosion/irritation, H314 Category 1A H373 Specific target organ toxicity - Repeated exposure, Category 2

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS03 GHS05 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H271 - May cause fire or explosion; strong oxidiser.</li> <li>H290 - May be corrosive to metals.</li> <li>H302 - Harmful if swallowed.</li> <li>H314 - Causes severe skin burns and eye damage.</li> <li>H373 - May cause damage to organs through prolonged or repeated exposure.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280 - Wear protective clothing, face protection, eye protection, protective gloves.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take o ffimmediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P310 - Immediately call a POISON CENTER/doctor</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.</li> </ul>

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Perchloric acid	(CAS-No.) 7601-90-3 (EC-No.) 231-512-4 (EC Index-No.) 017-006-00-4	60	Ox. Liq. 1, H271 Skin Corr. 1A, H314 Eye Dam. 1, H318

Safety Data Sheet

ACETIC ACID GLACIAL AR	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6	40	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318
------------------------	--	----	---

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.		
First-aid measures after skin contact	<ul> <li>Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.</li> </ul>		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.		
4.2. Most important symptoms and e	ffects, both acute and delayed		
Symptoms/effects	: Causes severe skin burns and eye damage. May cause damage to organs.		
Symptoms/effects after ingestion	: Harmful if swallowed.		
4.3. Indication of any immediate med	lical attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.		
Unsuitable extinguishing media	: Do not use extinguishing media containing water.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: May cause fire or explosion; strong oxidiser.		
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Heating may cause an explosion.		
5.3. Advice for firefighters			
Firefighting instructions	: In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. DO NOT fight fire when fire reaches explosives. Evacuate area.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.		
SECTION 6: Accidental release measures	S		
	e equipment and emergency procedures		
General measures	: No open flames. No smoking. Remove ignition sources. Use special care to avoid static electric charges.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
Emergency procedures	: Ventilate area.		

Safety Data Sheet

6.2. Environmental precautions		
Avoid release to the environment.		
Avoid release to the environment.		
6.3. Methods and material for cor	ntainment and cleaning up	
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.4 Dressutions for onfo handling	-	
7.1. Precautions for safe handling		
Additional hazards when processed	: Hazardous waste due to potential risk of explosion. May be corrosive to metals.	
Precautions for safe handling	: Take precautionary measures against static discharge. Do not breathe vapours. Avoid contact during pregnancy/while nursing. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
7.2. Conditions for safe storage,	including any incompatibilities	
Storage conditions	: Keep in fireproof place. Keep container tightly closed.	
Incompatible materials	: Heat sources. combustible materials.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/perso	nal protection	

8.1. Control parameters

No additional information available

8.2. Exposure controls		
Personal protective equipment	: Wear fire/flame resistant/retardant clothing.	
Hand protection	: Protective gloves	
Eye protection	: Chemical goggles or face shield	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: Wear respiratory protection.	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Molecular mass	: 100.46 g/mol	
Colour	: Clear Colorless.	
Odour		
Guodi	: odourless.	

Safety Data Sheet

рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -18 °C
Freezing point	: No data available
Boiling point	: 203 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: 3.5
Relative density	: No data available
Density	: 1.5 - 1.6 g/cm <sup>3</sup>
Solubility	: Water: Infinitely soluble
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Heating may cause an explosion.
Oxidising properties	: The substance or mixture is classified as oxidizing with the subcategory 1. May cause fire or explosion; strong oxidiser.
Explosive limits	: No data available

9.2.	Other Information
No addi	tional information available
SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
Stable ι	under normal conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Heat. S	parks. Open flame.
10.5.	Incompatible materials
No addi	tional information available
10.6.	Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

Safety Data Sheet

SECTION 11: Toxicological information 11.1. Information on toxicological effects			
Acute toxicity	: Harmful if swallowed.		
ATE CLP (oral)	500 mg/kg bodyweight		
Skin corrosion/irritation	: Causes severe skin burns and eye damage.		
Serious eye damage/irritation	: Serious eye damage, category 1, implicit		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	: Not classified		

**12.1. Toxicity** No additional information available

### 12.2. Persistence and degradability

ACETIC ACID GLACIAL AR (64-19-7)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
ACETIC ACID GLACIAL AR (64-19-7)		
Log Pow	0.17	
Bioaccumulative potential	Not established.	

12.4.	Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

No additional information available

Safety Data Sheet

SECTION 13: Disposal considerations 13.1. Waste treatment methods	
Product/Packaging disposal recommendations Additional information	<ul> <li>Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> <li>Hazardous waste due to potential risk of explosion.</li> </ul>
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1873
UN-No. (IMDG)	: 1873
UN-No. (IATA)	: 1873
UN-No. (ADN)	: 1873
UN-No. (RID)	: 1873
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: PERCHLORIC ACID
Proper Shipping Name (IMDG)	: PERCHLORIC ACID
Proper Shipping Name (IATA)	: Perchloric acid
Proper Shipping Name (ADN)	: PERCHLORIC ACID
Proper Shipping Name (RID)	: PERCHLORIC ACID
Transport document description (ADR)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I, (B/E)
Transport document description (IMDG)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I
Transport document description (IATA)	: UN 1873 Perchloric acid, 5.1, I
Transport document description (ADN)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I
Transport document description (RID)	: UN 1873 PERCHLORIC ACID, 5.1 (8), I
14.3. Transport hazard class(es)	
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: 5.1 (8)
Danger labels (ADR)	: 5.1, 8
Daliger labels (ADIC)	
IMDG	
Transport hazard class(es) (IMDG)	: 5.1 (8)
Danger labels (IMDG)	: 5.1, 8
,	
ΙΑΤΑ	
Transport bazard class(es) (IATA)	. 51(8)

Transport hazard class(es) (IATA)	: 5.1 (8)
Hazard labels (IATA)	: 5.1, 8

Safety Data Sheet



### ADN

Transport hazard class(es) (ADN) Danger labels (ADN) : 5.1 (8) : 5.1, 8



RID	
Transport hazard class(es) (RID)	
Danger labels (RID)	

: 5.1 (8) : 5.1, 8



14.4. Packing group	
Packing group (ADR)	: 1
Packing group (IMDG)	: 1
Packing group (IATA)	: 1
Packing group (ADN)	: 1
Packing group (RID)	: 1
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: OC1
Special provisions (ADR)	: 60
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P502
Special packing provisions (ADR)	: PP28
Mixed packing provisions (ADR)	: MP3
Portable tank and bulk container instructions (ADR)	: T10
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: L4DN(+)
Tank special provisions (ADR)	: TU3, TU28
Vehicle for tank carriage	: AT
Transport category (ADR)	: 1

## Safety Data Sheet

Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Special provisions for carriage - Operation (ADR)	: S20
Hazard identification number (Kemler No.)	: 558
Orange plates	
	558
	1873
Tunnel restriction code (ADR)	: B/E
EAC code	: 2P
- Transport by sea	
Special provisions (IMDG)	: 900
Packing instructions (IMDG)	: P502
Special packing provisions (IMDG)	: PP28
Tank instructions (IMDG)	: T10
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: D
Segregation (IMDG)	: SG16
Properties and observations (IMDG)	: Colourless liquid.Mixtures with combustible material may ignite spontaneously and,
	when involved in a fire, by shock or by friction, may cause an explosion. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes. Transport of PERCHLORIC ACID with more than 72% acid, by mass is prohibited.
MFAG-No	: 143
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity	: Forbidden
(IATA)	
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 553
CAO max net quantity (IATA)	: 2.5L
ERG code (IATA)	: 5C
- Inland waterway transport	
Classification code (ADN)	: OC1
Special provisions (ADN)	: 60
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
- Rail transport Classification code (RID)	: OC1
Special provisions (RID)	: 60
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P502
Special packing provisions (RID)	: PP28
Mixed packing provisions (RID)	: MP3
Portable tank and bulk container instructions (RID)	: T10

Safety Data Sheet

Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: L4DN(+)
Special provisions for RID tanks (RID)	: TU3, TU28, TE16
Transport category (RID)	: 1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Hazard identification number (RID)	: 558

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### 15.1.2. National regulations

#### Germany

Ocimany		
Reference to AwSV	:	Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Recommendations Danish Regulation	:	Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

Safety Data Sheet

### **SECTION 16: Other information**

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 1	Oxidising Liquids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.