chemiecall

CAS No: 7789-12-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC index no : 024-004-01-4 EC no : 234-190-3 CAS No : 7789-12-0 Product code : 05852

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CHEMIECALL

Jl. Diklat Pemda, Dukuh Pinang No. 24 RT.001/003 Kel. Bojong Nangka Kec. Kelapa Dua Tangerang 15821

Contact: +62(21) 54210228

info@chemiecall.com www.chemiecall.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, H272 Category 2

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H312

Category 4

Acute toxicity (inhal.), H330

Category 2

Skin corrosion/irritation, H314

Category 1B

Sensitisation — H334

Respiratory, category 1

Sensitisation — Skin, H317

category 1

Germ cell mutagenicity, H340

Category 1B

Carcinogenicity, Category H350

1B

www.chemiecall.com 28/03/2024 1/12

Safety Data Sheet

Reproductive toxicity,

H360FD

Category 1A

Specific target organ

H372

toxicity — Repeated exposure, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Muta.Cat.2; R46 Repr.Cat.2; R60 Repr.Cat.2; R61 O; R8 T+; R26 T; R25 T; R48/23 Xn; R21

Carc.Cat.2; R45

R42 C; R34 R43

N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS03









Signal word (CLP) : Danger

Hazard statements (CLP) : H272 - May intensify fire; oxidiser

H301 - Toxic if swallowed

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take o ffimmediately all contaminated

www.chemiecall.com 28/03/2024 2/12

Safety Data Sheet

clothing. Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER/doctor/... P312 - Call a POISON CENTER/doctor/... if you feel unwell

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. **Substance**

: SODIUM DICHROMATE DIHYDRATE AR/ACS Name

CAS No : 7789-12-0 FC no : 234-190-3 EC index no : 024-004-01-4

Full text of R- and H-phrases: see section 16

Mixture 3.2.

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Wash with plenty of soap and water. Remove/Take o ffimmediately all contaminated clothing. Get medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Do NOT First-aid measures after ingestion induce vomiting.

Most important symptoms and effects, both acute and delayed

: Causes severe skin burns and eye damage. May cause genetic defects. May cause Symptoms/injuries cancer. May damage the unborn child. May damage fertility. Causes damage to

organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact Causes serious eye damage.

Symptoms/injuries after ingestion Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Indication of any immediate medical attention and special treatment needed

No additional information available

3/12 www.chemiecall.com 28/03/2024

Safety Data Sheet

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to

the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Hazardous waste due to potential risk of explosion.

Precautions for safe handling

: Take precautionary measures against static discharge. Do not breathe vapours. Avoid contact with skin and eyes. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Comply

with applicable regulations.

Storage conditions : Keep in fireproof place. Store in a well-ventilated place. Keep cool.

Incompatible materials : Heat sources. combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

www.chemiecall.com 28/03/2024 4/12

Safety Data Sheet

8.2. Exposure controls

Personal protective equipment : Wear fire/flame resistant/retardant clothing.

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of inadequate ventilation wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Orange Crystalline.

Odour : odourless.

Odour threshold : No data available

pH : 3.5 - 4

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 91 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : 10

Relative density : No data available

Density : 2.35 g/cm³

Solubility : Water: Soluble in water (73%)

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : May cause fire or explosion; strong oxidiser.

Explosive limits : No data available

www.chemiecall.com 28/03/2024 5/12

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

May cause fire or explosion; strong oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Fatal if

inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 3.5 - 4

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 3.5 - 4

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : May damage fertility. May damage the unborn child.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin. Toxic if swallowed.

www.chemiecall.com 28/03/2024 6/12

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

SODIUM DICHROMATE DIHYDRATE AR/ACS (7789-12-0)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

SODIUM DICHROMATE DIHYDRATE AR/ACS (7789-12-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container to ..

Additional information : Hazardous waste due to potential risk of explosion.

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3087

 UN-No. (IMDG)
 : 3087

 UN-No.(IATA)
 : 3087

 UN-No.(ADN)
 : 3087

 UN-No. (RID)
 : 3087

14.2. UN proper shipping name

Proper Shipping Name (ADR)

: OXIDIZING SOLID, TOXIC, N.O.S.

Proper Shipping Name (IMDG)

: OXIDIZING SOLID, TOXIC, N.O.S.

Proper Shipping Name (IATA)

: OXIDIZING SOLID, TOXIC, N.O.S.

Proper Shipping Name (ADN)

: OXIDIZING SOLID, TOXIC, N.O.S.

Proper Shipping Name (RID)

: OXIDIZING SOLID, TOXIC, N.O.S.

Transport document description (ADR) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, (E), ENVIRONMENTALLY

HAZARDOUS

www.chemiecall.com 28/03/2024 7/12

Safety Data Sheet

Transport document description (IMDG) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (ADN) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 3087 OXIDIZING SOLID, TOXIC, N.O.S., 5.1 (6.1), II, ENVIRONMENTALLY

HAZARDOUS

14.3. Transportzard class(es)

ADR

Transport hazard class(es) (ADR) : 5.1 (6.1)

Danger labels (ADR) : 5.1, 6.1



IMDG

Transport hazard class(es) (IMDG) : 5.1 (6.1)
Danger labels (IMDG) : 5.1, 6.1



IATA

Transport hazard class(es) (IATA) : 5.1 (6.1) Hazard labels (IATA) : 5.1, 6.1



ADN

Transport hazard class(es) (ADN) : 5.1 (6.1)
Danger labels (ADN) : 5.1, 6.1



RID

Transport hazard class(es) (RID) : 5.1 (6.1)

Danger labels (RID) : 5.1, 6.1



www.chemiecall.com 28/03/2024 8/12

Safety Data Sheet

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : OT2
Special provision (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06

Mixed packing provisions (ADR) : MP2
Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV24, CV28

: TP33

Hazard identification number (Kemler No.) : 56

Orange plates

56 3087

Tunnel restriction code (ADR) : E
EAC code : 1W

- Transport by sea

Special provision (IMDG) : 274, 900 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 : IBC06 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B2 Tank instructions (IMDG) : T3 : TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-Q Stowage category (IMDG) : B

Segregation (IMDG) : SG38, SG49, SG60

MFAG-No : 141

www.chemiecall.com 28/03/2024 9/12

: E2

: 5P

Safety Data Sheet

PCA Excepted quantities (IATA)

- Air transport

PCA Limited quantities (IATA) : Y543
PCA limited quantity max net quantity (IATA) : 1kg (IATA)
PCA packing instructions (IATA) : 558
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 562
CAO max net quantity (IATA) : 25kg
Special provision (IATA) : A3

- Inland waterway transport

Classification code (ADN) : OT2

Special provisions (ADN) : 274, 802

Limited quantities (ADN) : 1 kg

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

- Rail transport

ERG code (IATA)

Classification code (RID) : OT2
Special provision (RID) : 274
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06

Mixed packing provisions (RID) : MP2
Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAN
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 2

Special provisions for carriage - Packages : W11

(RID)

Special provisions for carriage – Loading

and unloading (RID)

: CW24, CW28

: TP33

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 56

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Sodium dichromate is on the REACH Candidate List

Sodium dichromate is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorization exemptions
	21/09/2017	

www.chemiecall.com 28/03/2024 10/12

Safety Data Sheet

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 2; WGK No 56)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Muta. 1B	Germ cell mutagenicity, Category 1B
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	May cause genetic defects
H350	May cause cancer
H360FD	May damage fertility. May damage the unborn child

www.chemiecall.com 28/03/2024 11/12

Safety Data Sheet

H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R21	Harmful in contact with skin
R25	Toxic if swallowed
R26	Very toxic by inhalation
R34	Causes burns
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R45	May cause cancer
R46	May cause heritable genetic damage
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R60	May impair fertility
R61	May cause harm to the unborn child
R8	Contact with combustible material may cause fire
С	Corrosive
N	Dangerous for the environment
0	Oxidising
Т	Toxic
T+	Very toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.chemiecall.com 28/03/2024 12/12