

### MATERIAL SAFETY DATA SHEET (MSDS)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product form : Substance  
:  
EC index no : 030-003-00-2  
EC no : 231-592-0  
CAS No : 7646-85-7  
Product code : 06548

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only.

###### 1.2.2. Uses advised against

No additional information available

##### 1.3. Details of the supplier of the safety data sheet

CHEMIECALL  
Jl. Diklat Pemda, Dukuh Pinang No. 24 RT.001/003  
Kel. Bojong Nangka Kec. Kelapa Dua Tangerang 15821  
Contact: +62(21) 54210228  
[info@chemiecall.com](mailto:info@chemiecall.com) [www.chemiecall.com](http://www.chemiecall.com)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302  
Category 4  
Skin corrosion/irritation, H314  
Category 1B  
Hazardous to the aquatic H410  
environment — Chronic  
Hazard, Category 1

Full text of classification categories and H statements : see section 16

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22

C; R34

N; R50/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)

:



GHS05



GHS07



GHS09

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP)

: P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P501 - Dispose of contents/container to ...

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : ZINC CHLORIDE DRY AR

CAS No : 7646-85-7

EC no : 231-592-0

EC index no : 030-003-00-2

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
--------------------------------	---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

##### 6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
-------------------------	---

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Do not breathe vapours. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves  
Eye protection : Chemical goggles or face shield  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear appropriate mask

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Molecular mass : 136.28 g/mol  
Colour : White crystalline.  
Odour : odourless.  
Odour threshold : No data available  
pH : 4 Aqueous solution  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : 293 °C  
Freezing point : No data available  
Boiling point : 732 °C  
Flash point : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : No data available  
Density : 2.91 g/cm<sup>3</sup>

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

Solubility	: Water: Soluble in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Moisture. Air contact.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 4 Aqueous solution
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 4 Aqueous solution
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

##### ZINC CHLORIDE DRY AR (7646-85-7)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 2331
UN-No. (IMDG)	: 2331
UN-No.(IATA)	: 2331
UN-No.(ADN)	: 2331
UN-No. (RID)	: 2331

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ZINC CHLORIDE, ANHYDROUS
Proper Shipping Name (IMDG)	: ZINC CHLORIDE, ANHYDROUS

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

Proper Shipping Name (IATA)	: ZINC CHLORIDE, ANHYDROUS
Proper Shipping Name (ADN)	: ZINC CHLORIDE, ANHYDROUS
Proper Shipping Name (RID)	: ZINC CHLORIDE, ANHYDROUS
Transport document description (ADR)	: UN 2331 ZINC CHLORIDE, ANHYDROUS, 8, III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 2331 ZINC CHLORIDE, ANHYDROUS, 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 2331 ZINC CHLORIDE, ANHYDROUS, 8, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 2331 ZINC CHLORIDE, ANHYDROUS, 8, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 2331 ZINC CHLORIDE, ANHYDROUS, 8, III, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



#### IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



#### IATA

Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8



#### ADN

Transport hazard class(es) (ADN)	: 8
Danger labels (ADN)	: 8



#### RID

Transport hazard class(es) (RID)	: 8
----------------------------------	-----

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

Danger labels (RID) : 8



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : C2

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7

Hazard identification number (Kemler No.) : 80

Orange plates : 

Tunnel restriction code (ADR) : E

EAC code : 2X

#### - Transport by sea

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B



# ZINC CHLORIDE DRY AR

## Safety Data Sheet

Stowage category (IMDG) : A  
MFAG-No : 154

### - Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y845  
PCA limited quantity max net quantity (IATA) : 5kg  
PCA packing instructions (IATA) : 860  
PCA max net quantity (IATA) : 25kg  
CAO packing instructions (IATA) : 864  
CAO max net quantity (IATA) : 100kg  
ERG code (IATA) : 8L

### - Inland waterway transport

Classification code (ADN) : C2  
Limited quantities (ADN) : 5 kg  
Excepted quantities (ADN) : E1  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : C2  
Limited quantities (RID) : 5kg  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P002, IBC08, LP02, R001  
Special packing provisions (RID) : B3  
Mixed packing provisions (RID) : MP10  
Portable tank and bulk container instructions (RID) : T1  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : SGAV  
Transport category (RID) : 3  
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7  
Colis express (express parcels) (RID) : CE11  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ZINC CHLORIDE DRY AR is not on the REACH Candidate List

ZINC CHLORIDE DRY AR is not on the REACH Annex XIV List

# ZINC CHLORIDE DRY AR

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to VwVwS, Annex 3; WGK No 207)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H410	Very toxic to aquatic life with long lasting effects
R22	Harmful if swallowed
R34	Causes burns
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
C	Corrosive
N	Dangerous for the environment
Xn	Harmful

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*